

Paul
2 March 87
F. Woods, MD
Ed
10 36

52

D

A1

F1

T

I

ALL

AS

grass
flower
studs
road
bush
shrubs

Silver
white
cream
Sunny

A1 B1c
Pleasant

5 1/2 parts of area are "park-like." Landscaped

Slightly
hilly
contoured

5 1/2: Track maybe underground, but at very least
is enclosed

52

D

I

E

T

I

As

Als


5 1/2 things along track each allow optical adjustment/calibration, leveling. Same purpose as shims to make the barrel of a Weadberby rifle as perfectly straight as possible.

5 1/2 also ~~also~~ contains adjustment "mechanisms" that in these whatever passes through the track as well.

5 1/2 area to basement area strictly controlled.

Als
idag
"dyaned"

5 1/2 "chumk" is gotten to the track, almost like it's "reflected" down a long passage, highly polished, smooth non-frictional. Non-absorptive; non reactive/interactive;



5 1/2 track - at least w/in basement areas - have access plate that can be removed to expose inner workings of track.

5 1/2 2nd bldg is necessary to perform thing that can't be done until "chumk" has been on/in the track for a while i.e. - altering change, fields.

symbolically representative
or latent actuals takes place

yellow or blue

S U I

9

3 1/2

D

AL

E I

Break

I

AL

AS

Target
area

dark
artificially
lit

windproof


Controlled
condition
shielded

5 1/2 want to cut down on as many variables + interferences as possible


vacuum

AI BLK
slightly
Clostridium

5 1/2. Cramped - not meant for a lot of people to be there. No one is actually in the chamber when impact occurs but are nearly constantly monitoring - i.e. in the next room. Some of the desired information can be obtained from instrumental readings alone. But some must be obtained by inspecting the target itself + analyzing detectable remains of "projectile" itself.



Approved For Release 2000/08/08 : CIA-RDP96-00789R000100340002-2



Approved For Release 2000/08/08 : CIA-RDP96-00789R000100340002-2